



# flow meters and flow sensors

# 24

flow meters.....	692
flow sensors.....	694



## flow meters and flow sensors

## flow meters

## GICAR



fig.	GEV No.	TS	material	version	approval	suitable for	Ref. No.
1	400255	1/8"	stainless steel	with LED	NSF	Brasilia Gicar	08729.2.00.08 9.0.55.50G
2	401914	1/4"	brass	with LED	NSF	Expobar Gicar	60100045 9.0.93.02G
3	400642	1/4"	plastic	-	NSF	Bremer Gicar Palux	027790 9.0.97.87G 027790
4	402891	1/4"	plastic	-	NSF	Gicar	9.0.97.85G



fig.	GEV No.	TS	material	version	approval	suitable for	Ref. No.
5	402898	1/4"	plastic	with LED	NSF	Gicar	9.0.98.61G
6	400222	1/4"	stainless steel	-	NSF	Gicar La Marzocco VFA-Express	9.0.54.05G LAD070 —
7	403410	1/4"	stainless steel	-	NSF	Faema La Cimbali	534393100 534393100
8	526324	1/4"	stainless steel	-	NSF	Carimali Gicar	95.01205 9.0.95.02G

Unable to find the right part?



[www.gev-online.com](http://www.gev-online.com)  
[www.gev-online.co.uk](http://www.gev-online.co.uk)

You will find even more  
catering spare parts  
in the GEV Webshop



fig.	GEV No.	TS	material	version	approval	suitable for	Ref. No.
9	400779	1/4"	stainless steel	with LED		Gicar Mastro	9.0.68.00G 000403.06.01
10	400004	1/4"	stainless steel	with LED	NSF	Astoria Azkoyen Bezzera Expobar Gicar La San Marco NuovaSimonelli WEGA	18126 — 7431001 60100050 9.0.55.02G. 2209.006 04900027 WY18126
11	400778	1/4"	stainless steel	with LED	NSF	Gicar Reneka	9.0.96.08G 9008954
12	401920	1/4"	stainless steel	with LED	NSF	Gicar Rancilio	9.0.96.19G 34070050




fig.	GEV No.	HCo (mm)	material	approval	suitable for	Ref. No.	fig.	GEV No.	HCo (mm)	material	approval	suitable for	Ref. No.
1	400782	6	plastic	NSF	Cookmax Gicar N&W VFA-Express	098707 9.0.99.07G 098707 414795	1	402889	6	plastic	NSF	Gicar	9.0.99.19G
							1	541750	7	plastic	NSF	Gicar Vibiemme	9.0.99.06G ELETCONTVODOS
							2	402890	6	plastic	NSF	Gicar	9.0.99.60G

accessories




fig.	GEV No.	description	fig.	GEV No.	description
1	400088	casing cover GICAR nickel-plated brass	3	400258	O-ring for flow meter
2	400257	impellor GICAR H 15 mm D1 ø 26,7 mm D2 ø 9,8 mm	4	400256	plug GICAR for flow meter



DIGMESA



fig.	GEV No.	TS	material	approval	suitable for	Ref. No.
1	403268	1/4"	brass		MIWE	507570.03
2	400005	1/4"	brass	NSF	Faema	2251131855

fig.	GEV No.	TS	material	approval	suitable for	Ref. No.
3	400209	1/4"	brass	NSF	—	—

miscellaneous



fig.	GEV No.	description
1	402680	flow meter pressure range 0.2-10bar

fig.	GEV No.	description
2	502056	flow meter Set WSE suitable for WINTERHALTER

flow sensors



fig.	GEV No.	inlet ø	outlet ø	L (mm)	flow rate (l/min)	suitable for
1	403302	3/4" ET	3/4" IT	78	1-25	Rational
2	403301	10mm	10mm	104	1-25	Rational

fig.	GEV No.	inlet ø	outlet ø	L (mm)	flow rate (l/min)	suitable for
3	402256	10mm	10mm	110	1-25	Fagor Rational